

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to:

"Assistant Commissioner for Patents
Washington, D.C. 20231"

on March 12, 2004

Rimma Mitelman
RIMMA MITELMAN
Reg. No. 34,396
Attorney for Applicant(s)

03/12/04
Date of
Signature

PATENT

#02-0529-UNI

Case #C4274(C)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Casey et al.
Serial No.: 10/726,738
Filed: December 3, 2003
For: DETERGENT COMPOSITIONS

Edgewater, New Jersey 07020
March 12, 2004

SUBMISSION OF PRIORITY DOCUMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Pursuant to rule 55(b) of the Rules of Practice in Patent Cases, Applicant(s) is/are submitting herewith a certified copy of the United Kingdom Application No. 0228585.6 filed December 7, 2002, upon which the claim for priority under 35 U.S.C. § 119 was made in the United States.

It is respectfully requested that the priority document be made part of the file history.

Respectfully submitted,

Rimma Mitelman
Rimma Mitelman
Registration No. 34,396
Attorney for Applicant(s)

RM/mt
(201) 840-2671





INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed




Dated 9 October 2003



Patents Act 1977
(Rule 16)

The
Patent
Office

09DEC02 E769404-4 D02898
01/7700 0.00



Cardiff Road
Newport
Gwent NP10 8QQ

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

2. Patent application number
(The Patent Office will fill in this part)

0228585.6

7 DEC 2002

3. Full name, address and postcode of the or of each applicant (underline all surnames)

UNILEVER PLC
UNILEVER HOUSE, BLACKFRIARS
LONDON, EC4P 4BQ

Patents ADP number (if you know it)

50426956002

If the applicant is a corporate body, give the country/state of its incorporation

UNITED KINGDOM

4. Title of the invention

DETERGENT COMPOSITIONS

5. Name of your agent (if you have one)

Peter William ELLIOT
~~FRANSELLA Mary Evelyn~~

"Address for Service" in the United Kingdom to which all correspondence should be sent (including the postcode)

PATENT DEPARTMENT, UNILEVER PLC
COLWORTH HOUSE, SHARNBROOK
BEDFORD, MK44 1LQ

Patents ADP number (if you know it)

6893440001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country Priority application number Date of filing
(if you know it) (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application Date of filing
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	14
Claim(s)	3
Abstract	1

Drawing(s)

10. If you are also filing any of the following, state how many against each item.

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77) 1

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)



Date: 06/12/02

Sandra Jane EDWARDS, Authorised Signatory

12. Name and daytime telephone number of person to contact in the United Kingdom Trudi Clark, Tel 01234 22 2360

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

BEST AVAILABLE COPY

- 1 -

DETERGENT COMPOSITIONSTECHNICAL FIELD

5

The present invention relates to anionic surfactant particles of high surfactant content, suitable for incorporation in particulate laundry detergent compositions.

10

BACKGROUND AND PRIOR ART

15

Anionic surfactants, particularly the sulphonates such as linear alkylbenzene sulphonate (LAS) and the sulphates such as primary alkyl sulphate (PAS), are the key ingredients of modern laundry detergents, providing excellent detergency performance on a wide range of soils and stains.

20

For optimum performance, especially in the handwash or in top-loading washing machines where foaming is not a problem, it is desirable to provide a high level of such anionic surfactants in the powder. However, the amount that can be incorporated may be limited by process and powder property requirements.

25

Most laundry detergent powders, whether of high or low bulk density, contain a "base powder" consisting of composite granules of surfactant and inorganic builder (and other) salts, prepared either by spray-drying a slurry in a spray-drying tower, or by mixing and granulation (non-tower processing) in a high-shear mixer/granulator. Other lesser

30

- 2 -

ingredients that are sufficiently robust to survive these processes may also be contained in the base granules, while more sensitive ingredients such as bleaches and enzymes are subsequently admixed ("postdosed").

5

Surfactants are mobile organic materials and the amount that can be incorporated in a base powder, whether spray-dried or non-tower granulated, without causing processing difficulties, and products with poor flow and stickiness, is limited. It is therefore known to top up the anionic surfactant content of laundry powders by postdosing high-active anionic surfactant granules.

15

High active surfactant granules are disclosed, for example, in WO 96 06916A and WO 96 06917A (Unilever). These granules are prepared by flash drying. LAS granules prepared by this route typically contain up to 80 wt% LAS, together with a salt such as zeolite or sodium tripolyphosphate. Granules without salt may be prepared, but are highly hygroscopic.

20

PAS granules may contain up to 100 wt% PAS without developing hygroscopicity problems, but PAS does not have the robust detergency profile of LAS across a wide range of wash conditions.

25

The present inventors have now found that a composite particle of LAS and PAS containing little or no inorganic salt can be prepared which combines low hygroscopicity with an excellent detergency profile. This particle is very useful in the formulation of a range of high-active solid

30

detergent products.

- 3 -

DEFINITION OF THE INVENTION

The present invention provides an anionic surfactant particle for use in a laundry detergent composition, the

- 5 particle having a total anionic surfactant content of at least 95 wt% and comprising linear alkylbenzene sulphonate (LAS) and primary alcohol sulphate (PAS) in a weight ratio of from 5:1 to 1:3.
- 10 The invention also provides processes for preparing the particle and detergent compositions incorporating it.

DETAILED DESCRIPTION OF THE INVENTION

15

The anionic surfactant particle

- The anionic surfactant particle of the invention has a very high surfactant content: at least 95 wt%, and preferably at
- 20 least 98 wt%. Most preferably, the surfactant content is 100 wt%.

The weight ratio of LAS to PAS in the particle is within the range of from 5:1 to 1:3, preferably from 3:1 to 1:2.

25

The particle preferably does not contain more than 2 wt% of inorganic salts. It is most preferably substantially free of inorganic salts.

30

LAS and PAS are of course well known to all detergent formulators. The LAS preferably has an average alkyl chain length of from C₈ to C₁₅. The PAS preferably has an average alkyl chain length of C₈ to C₂₀, more preferably from C₁₀ to C₁₆, and most preferably from C₁₂ to C₁₄.

Both anionic surfactants are preferably in sodium salt form.

The anionic surfactant particle of the invention may be of any suitable particulate form, for example, granules, pellets, or flakes. Flakes are especially preferred.

Preparation of the anionic surfactant particle

The anionic surfactant particles may be prepared by any suitable process.

One suitable process comprises the steps of

(i) reacting LAS acid with sodium carbonate to form sodium LAS and water,

(ii) admixing PAS in any suitable form,

(iii) drying the resulting mixture to a solid form, and

(iv) comminuting to form particles.

Suitable drying processes include freeze drying, drum drying and oven drying.

Detergent compositions

As previously indicated, the anionic surfactant particle of the invention may be used as an ingredient of high-active particulate laundry detergent compositions.

Thus, a further subject of the present invention is a particulate detergent composition comprising an anionic surfactant particle as defined above, in admixture or conjunction with one or more other solid detergent ingredients.

According to a preferred embodiment of the invention, the anionic surfactant particle is admixed or "postdosed" to a detergent composition containing a conventional base powder (composite surfactant/builder granules) in order to increase the total surfactant content. Therefore, a preferred detergent composition according to the invention comprises:

- (a) a base powder composed of composite granules comprising surfactant and builder,
- (b) anionic surfactant particles as defined above,
- (c) optionally postdosed detergent ingredients.

The detergent base powder may itself contain LAS and/or PAS, and/or other anionic surfactants.

Other anionic surfactants include alkyl ether sulphates; olefin sulphonates; alkyl xylene sulphonates; dialkyl

sulphosuccinates; and fatty acid ester sulphonates.

Sodium salts are generally preferred.

Preferably the composition contains, in total, at least

-
- 5 20 wt% anionic surfactant, more preferably at least 25 wt% anionic surfactant. Use of the anionic surfactant particles of the present invention allows products containing levels of total anionic surfactant of 30 wt% and above.
- 10 Nonionic surfactants that may be used include the primary and secondary alcohol ethoxylates, especially the C₈-C₂₀ aliphatic alcohols ethoxylated with an average of from 1 to 20 moles of ethylene oxide per mole of alcohol, and more especially the C₁₀-C₁₅ primary and secondary aliphatic
- 15 alcohols ethoxylated with an average of from 1 to 10 moles of ethylene oxide per mole of alcohol. Non-ethoxylated nonionic surfactants include alkylpolyglycosides, glycerol monoethers, and polyhydroxyamides (glucamide).
- 20 Cationic surfactants that may be used include quaternary ammonium salts of the general formula R₁R₂R₃R₄N⁺ X⁻ wherein the R groups are long or short hydrocarbyl chains, typically alkyl, hydroxyalkyl or ethoxylated alkyl groups, and X is a solubilising anion (for example, compounds in which R₁ is a
- 25 C₈-C₂₂ alkyl group, preferably a C₈-C₁₀ or C₁₂-C₁₄ alkyl group, R₂ is a methyl group, and R₃ and R₄, which may be the same or different, are methyl or hydroxyethyl groups); and cationic esters (for example, choline esters).
-

The list of surfactants is not intended to be exhaustive and the use of any surfactant suitable for incorporation in particulate laundry detergent compositions falls within the scope of the present invention.

5

The detergent compositions of the invention also contain one or more detergency builders. The total amount of detergency builder in the compositions will suitably range from 5 to 80 wt%, preferably from 10 to 60 wt%.

10

Preferred builders are alkali metal aluminosilicates, more especially crystalline alkali metal aluminosilicates (zeolites), preferably in sodium salt form.

15 Zeolite builders may suitably be present in a total amount of from 5 to 60 wt%, preferably from 10 to 50 wt%.

The zeolites may be supplemented by other inorganic builders, for example, amorphous aluminosilicates, or
20 layered silicates such as SKS-6 ex Clariant.

The zeolites may be supplemented by organic builders, for example, polycarboxylate polymers such as polyacrylates and acrylic/maleic copolymers; monomeric polycarboxylates such
25 as citrates, gluconates, oxydisuccinates, glycerol mono-, di- and trisuccinates, carboxymethyloxysuccinates, carboxymethyloxymalonates, dipicolinates, hydroxyethyliminodiacetates, alkyl- and alkenylmalonates and succinates; and sulphonated fatty acid salts.

30

- 8 -

Alternatively, the compositions of the invention may contain phosphate builders, for example, sodium tripolyphosphate.

These lists of builders are not intended to be exhaustive.

5

Especially preferred organic builders are citrates, suitably used in amounts of from 1 to 30 wt%, preferably from 2 to 15 wt%; and acrylic polymers, more especially acrylic/maleic copolymers, suitably used in amounts of from 10 0.5 to 15 wt%, preferably from 1 to 10 wt%. Builders, both inorganic and organic, are preferably present in alkali metal salt, especially sodium salt, form.

15 Detergent compositions according to the invention may suitably contain a bleach system. Preferably this will include a peroxy bleach compound, for example, an inorganic persalt or an organic peroxyacid, capable of yielding hydrogen peroxide in aqueous solution.

20 Preferred inorganic persalts are sodium perborate monohydrate and tetrahydrate, and sodium percarbonate, the latter being especially preferred. The sodium percarbonate may have a protective coating against destabilisation by moisture. The peroxy bleach compound is suitably present in 25 an amount of from 5 to 35 wt%, preferably from 10 to 25 wt%.

The peroxy bleach compound may be used in conjunction with a bleach activator (bleach precursor) to improve bleaching action at low wash temperatures. The bleach precursor is 30 suitably present in an amount of from 1 to 8 wt%, preferably from 2 to 5 wt%. Preferred bleach precursors are

peroxycarboxylic acid precursors, more especially peracetic acid precursors and peroxybenzoic acid precursors; and peroxycarbonic acid precursors. An especially preferred bleach precursor suitable for use in the present invention

5 is N,N,N',N'-tetracetyl ethylenediamine (TAED).

A bleach stabiliser (heavy metal sequestrant) may also be present. Suitable bleach stabilisers include ethylenediamine tetraacetate (EDTA), diethylenetriamine pentaacetate (DTPA), ethylenediamine disuccinate (EDDS),
10 and the polyphosphonates such as the Dequests (Trade Mark), ethylenediamine tetramethylene phosphonate (EDTMP) and diethylenetriamine pentamethylene phosphate (DETPMP).

The compositions of the invention may contain alkali metal,
15 preferably sodium, carbonate, in order to increase detergency and ease processing. Sodium carbonate may suitably be present in amounts ranging from 1 to 60 wt%, preferably from 2 to 40 wt%.

20 Sodium silicate may also be present. The amount of sodium silicate may suitably range from 0.1 to 5 wt%.

Powder flow may be improved by the incorporation of a small amount of a powder structurant. Examples of powder
25 structurants, some of which may play other roles in the formulation as previously indicated, include, for example, fatty acids (or fatty acid soaps), sugars, acrylate or acrylate/maleate polymers, sodium silicate, and dicarboxylic acids (for example, Sokalan (Trade Mark) DCS ex BASF). One
30 preferred powder structurant is fatty acid soap, suitably present in an amount of from 1 to 5 wt%.

Other materials that may be present in detergent compositions of the invention include antiredeposition agents such as cellulosic polymers; soil release agents; anti-dye-transfer agents; foam boosters or foam controllers

5 as appropriate; fluorescers; enzymes (for example, proteases, lipases, amylases, cellulases); dyes; coloured speckles; perfumes; and fabric conditioning compounds.

Subject to compatibility and processing restraints, some of
10 these materials may be incorporated in the base powder, while others are more suitably present as separate postdosed ingredients.

15 EXAMPLES

The invention is further illustrated by the following non-limiting Examples in which parts and percentages are by weight unless otherwise stated.

20

Example 1: preparation of 1:1 LAS/PAS flakes

The starting materials were as follows:

25

LAS acid (Petrelab (Trade Mark) Q ex Ballestra)	30.0g
Sodium carbonate	7.7g
Sodium dodecyl sulphate (SDS ex Sigma)	30.0g

30

The LAS acid was reacted with the sodium carbonate. On completion of the neutralisation reaction, the sodium dodecyl sulphate was admixed. The resulting mixture was oven dried at 80°C to form thin sheets which were cut into
5 flakes.

The content of the flakes was as follows:

	weight %
Sodium LAS	48.9
Sodium PAS (SDS)	45.0
Sodium carbonate	4.8
Water	1.2

10 The weight ratio of LAS to PAS was approximately 1:1.

Example 2: preparation of 3:1 LAS/PAS flakes

15 By the same method, flakes having a LAS:PAS weight ratio of approximately 3:1 were prepared.

The amounts of starting materials used were:

20 LAS acid (as Example 1)	32.6g
Sodium carbonate	6.0g
SDS	10.0g

and the composition of the flakes was as follows:

	weight %
Sodium LAS	73.0
Sodium PAS (SDS)	22.0
Sodium carbonate	3.3
Water	1.8

5 Hygroscopicity measurements

The water uptake of the flakes of Examples 1 and 2 were compared with those of the following controls:

10 Comparative Example A: pure LAS flakes ex Huntsman

Comparative Example B: pure SDS (powder)

Comparative Example C: LAS/zeolite granule (3:1)

15 prepared by flash drying as described in WO 96 06916A
(Unilever).

The samples were placed in a cabinet at 20°C and 50% relative humidity and the water uptake of each was measured after 3
20 weeks.

The results were as shown in the following Table.

Example	Water uptake (wt%)	State of sample after 3 weeks
1	3.3	dry, stable flakes
2	5.1	dry, stable flakes
A	7.3	transformed into soft solid
B	2.0	dry, stable flakes
C	13.2	damp granules

5

Dissolution measurements

Dissolution times were measured by a conductivity method, as follows.

10

A 3-litre beaker was filled with with 1.5 litres of deionised water at room temperature, and stirred with a stirrer rotating at 500 revs/minute. 0.7 grams of the sample under test were added. The conductivity of the resulting solution was measured using a conductivity probe fixed near to the wall of the beaker. The conductivity was recorded on a chart recorder that tracked the change in conductivity over time.

15

20 The following table shows t_{90} values (the time for 90 wt% dissolution to take place).

- 14 -

Example	t_{90} (seconds)
1	176
2	217
A	35
C	80

5

*

*

*

CLAIMS

1 An anionic surfactant particle for use in a laundry
5 detergent composition, the particle having a total anionic

surfactant content of at least 95 wt% and comprising linear
alkylbenzene sulphonate (LAS) and primary alcohol sulphate
(PAS) in a weight ratio of from 5:1 to 1:3.

10

2 An anionic surfactant particle as claimed in claim 1,
having a total anionic surfactant content of at least
98 wt%.

15

3 An anionic surfactant particle as claimed in claim 1 or
claim 2, wherein the ratio of LAS to PAS is within the range
of from 3:1 to 1:2.

20

4 An anionic surfactant particle as claimed in any
preceding, having an inorganic salt content not exceeding
2 wt%.

25

5 An anionic surfactant particle as claimed in any
preceding claim, wherein the PAS has an average alkyl chain
length within the range of from C₁₀ to C₁₆, preferably from
C₁₂ to C₁₄.

30

6 An anionic surfactant particle as claimed in any preceding claim, wherein the anionic surfactants are in sodium salt form.

5

~~7 An anionic surfactant particle as claimed in any preceding claim, which is the form of a flake.~~

10 8. A process for the preparation of an anionic surfactant particle as claimed in any preceding claim, which comprises the steps of

(i) reacting LAS acid with sodium carbonate to form sodium
15 LAS and water,

(ii) admixing PAS in any suitable form,

(iii) drying the resulting mixture to a solid form, and

20

(iv) comminuting to form particles.

9 A particulate detergent composition comprising an
25 anionic surfactant particle as claimed in any one of claims 1 to 7 in admixture or conjunction with one or more other solid detergent ingredients.

10 A particulate detergent composition as claimed in claim
9, which comprises

(a) a base powder composed of composite granules comprising
5 surfactant and builder,

(b) anionic surfactant particles as claimed in any one of
claims 1 to 7,

10 (c) optionally postdosed detergent ingredients.

11 A particulate detergent composition as claimed in claim
10, having a total anionic surfactant content of at least
15 20 wt%.

*

*

*

BEST AVAILABLE COPY

ABSTRACT

5

An anionic surfactant particle for use in laundry detergent compositions has an anionic surfactant content of at least 95 wt% of anionic surfactant and comprises linear alkylbenzene sulphonate (LAS) and primary alcohol sulphate (PAS) in a weight ratio of from 5:1 to 1:3. The particle, which is preferably in the form of a flake, is of low hygroscopicity and dissolves rapidly in water.